Article No . 920UV SERIE/SERIES Print date 13.11.2017 ΕN Page 1/8 Revision date 29.10.2017 Version SECTION 1: Identification of the substance/mixture and of the company/undertaking product identifiers 1.1. Article No. (manufacturer/supplier): 920UV Identification of the substance or mixture SERIE/SERIES Relevant identified uses of the substance or mixture and uses advised against 12 Relevant identified uses Printing ink/-lacquer Details of the supplier of the safety data sheet 1.3. supplier (manufacturer/importer/downstream user/distributor) A.M. Ramp & Co GmbH **RUCO Druckfarben** Telephone: +49.61 98.30 40 Lorsbacher Str. 28 Telefax: +49.61 98.3 22 88 D-65817 Eppstein Dept. responsible for information: E-mail info@ruco-inks.com 1.4. Emergency telephone number +49.61 98.30 40 Emergency telephone number Only available during office hours. **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Skin Irrit. 2 / H315 skin corrosion/irritation Causes skin irritation. Eye Dam. 1 / H318 Serious eye damage/eye irritation Causes serious eye damage. Skin Sens. 1 / H317 Respiratory or skin sensitisation May cause an allergic skin reaction. Reproductive toxicity Suspected of damaging fertility. Repr. 2 / H361 STOT SE 3 / H335 Specific target organ toxicity (single May cause respiratory irritation. exposure) STOT RE 2 / H373 Specific target organ toxicity (repeated May cause damage to organs through prolonged or repeated exposure. exposure) Harmful to aquatic life with long lasting effects. Aquatic Chronic 3 / H412 Hazardous to the aquatic environment Label elements 2.2. Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Danger Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. Suspected of damaging fertility. H361 H335 May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. H373 Harmful to aquatic life with long lasting effects. H412 **Precautionary statements** P260 Do not breathe vapour. P280 Wear protective gloves and eye/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

RUCO

	No.:	920UV		ERIE/SERIES			
Print o Print of the second s		13.11.20 7.0		Revision date 29.10.20	17	EN Page 2 / 8	
	P310 P403 + P23	33			ITER or doctor/ physiciar Keep container tightly clo		
	contains:						
			triacrylate, urethane a	xide 1,2-ethanediyl)bis[oxy(ethoxylated	(methyl-2,1-ethanediyl)] (s with pentaerythrite	diacrylate	
	Suppleme	ntal Hazar	oligotriacry rd informat	ion (EU)			
.3.	Other haza	ards	not applica	able			
SEC	TION 3: Co	ompositio	on / inform	ation on ingredien	ts		
5.2.	Mixtures						*
	Product de	escription	/ chemical	characterization			
	Descriptio	n	Pigmentdi	spersion in reactive rea	sins		
	Hazardous		nts				
		-		gulation (EC) No 1272	2/2008 [CLP]		
	EC No.		REACH N				
	CAS No.		Chemical				Wt %
	INDEX No.	ı	classifica	tion: // Remark			
			carbonic a Acute Tox H373		. 1 H318 / Skin Sens. 1	H317 / STOT RE 2	15 - 20
	256-032-2 42978-66-5 607-249-00		(1-methyl- Eye Irrit. 2		(methyl-2,1-ethanediyl)] 3 H335 / Skin Irrit. 2 F		10 - 15
	500-066-5 28961-43-{	5	triacrylate,	39900-30-XXXX ethoxylated H319 / Skin Sens. 1	H317		10 - 15
	070 055 0			H319 / Skin Sens. 1	H317		5 - 10
	278-355-8 75980-60-8		phosphinc Skin Sens	. 1 H317 / Aquatic C	hronic 2 H411 / Repr. 2	2 H361	3 - 5
	629-850-6 1245638-6	1-2	2-propene Acute Tox	00003-49-XXXX acid, reaction product 4 H302 / Skin Irrit. quatic Chronic 2 H411	2 H315 / Eye Dam. 1	H318 / Skin Sens. 1	3 - 5
			acrylate Eye Irrit. 2	H319 / Skin Sens. 1	H317		1 - 2,5
	231-784-4 7727-43-7		barium su		occupational exposure li	mit value.	1 - 2,5
	231-272-0 7473-98-5		01-211947 phenylketo	2306-39-XXXX			1 - 2,5
	500-114-5 52408-84-7		01-211948 oligotriacr	37948-12-XXXX			1 - 2,5

Article No.: Print date Version	920UV 13.11.2017 7.0	SERIE/SERIES Revision date 29.10.2017	EN Page 3 / 8	
204-881-4 128-37-0	2,6-di-t	9555270-46-XXXX ert-butyl-p-cresol c Acute 1 H400 / Aquatic Chronic 1 H410		0,1 - 0,25

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners. Following skin contact

Conditions to avoid UV-radiation/sunlight

Causes mild skin irritation.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide fire blanket, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).



Article No.:	920UV	SERIE/SERIES
Print date	13.11.2017	
Version	7.0	Revision date 29.10.2017

EN Page 4 / 8

SECTION 7: Handling and storage

Persons with a history of skin sensitisation problems should not be employed in any process in which this product is used.

7.1. Precautions for safe handling

Advices on safe handling

Use only in well-ventilated areas. Keep away from heat sources, sparks and open flames. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 35 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Keep only in the original container.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

barium sulfate

EC No. 231-784-4 / CAS No. 7727-43-7 WEL, TWA: 10 mg/m3

Remark: (inhalable fraction)

WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

2,6-di-tert-butyl-p-cresol EC No. 204-881-4 / CAS No. 128-37-0

WEL, TWA: 10 mg/m3

Additional information

TWA : long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

RUCO

E	7.0	Revision date	29.10.2017	EN				
E	Barrier creams can he			Page 5 / 8				
		Ip protecting exposed s	kin areas. In no case should they b	e used after contact.				
	Eye protection Wear closely fitting protective glasses in case of splashes.							
	Protective clothing Wear antistatic clothin	S.						
	Protective measures After contact clean ski		and soap or use appropriate clean	ser.				
		vironmental exposure controls						
C	Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.							
BECTI	ION 9: Physical an	d chemical propertie	es estatution estatu					
.1. h	Information on basic	physical and chemica	Il properties	*				
	Appearance: Physical state: Colour:		liquid refer to label					
C	Odour:		characteristic					
C	Odour threshold:		not determined					
р	pH at 20 °C:		not applicable					
N	Melting point/freezing	g point:	not determined					
Ir	nitial boiling point a	nd boiling range:	not applicable					
F	Flash point:		> 100 °C					
E	Evaporation rate:		not determined					
	Flammability (solid, g burning time (s):	gas):	not applicable					
	Upper/lower flammability or explosive limits:							
	Lower explosion lin		0,8 Vol-%					
	Upper explosion lin		not applicable					
	Vapour pressure at 2	20 °C:	not applicable					
v	Vapour density:		not determined					
	Relative density: Density at 20 °C:		1,16 g/cm³					
	Solubility(ies):							
	Water solubility (g/L		insoluble					
	Partition coefficient:		see section 12					
-	gnition temperature		not applicable					
	Decomposition temp	erature:	not applicable					
	Viscosity at 20 °C:		> 90 s 4 mm Method: DIN 53211					
E	Explosive properties	:	not applicable					
	Oxidising properties	:	not applicable					
	Other information			*				
	Solid content (%):		99,87 Wt %					
	solvent content: Organic solvents: Water:		0 Wt % 0 Wt %					
	Solvent separation te	oet (%):	< 3 Wt % (ADR/RID)					

10.1. **Reactivity** Not applicable.

10.2. Chemical stability

Article No.:	920UV	SERIE/SERIES	
Print date	13.11.2017		EN
Version	7.0	Revision date 29.10.2017	Page 6 / 8

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

This preparation contains material instable under the following conditions: Heat, strong ultraviolet radiation. An exotherm polymerization of the product may thereby be caused. Avoid unintended contact with it. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

Not applicable.

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

The fractions of acrylic resin in the preparation have an irritant effect. Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc.. Cases of allergic skin reactions have been observed. Liquid splashes can lead to irritations of the eyes. Inhaling of drolets in the air or aerosols may lead to irritations of the respiratory tract. Ingestion may cause nausea, weakness and affect the central nervous system.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. **Persistence and degradability** Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Article No.: Print date Version		920UV	SERIE/SERIES					
		13.11.2017 7.0	Revision date 29.10.2017	EN Page 7 / 8				
	Toxicologic	Toxicological data are not available.						
12.5.	5. Results of PBT and vPvB assessment							
	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.							
12.6.	Other adverse effects							
SEC	TION 13: D	isposal consid	erations					
13.1.	Waste trea	tment methods						
	Appropriate disposal / Product Recommendation Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way							
	disposal ac	al according to directive 2008/98/EC, covering waste and dangerous waste.						
	080312	List of proposed waste codes/waste designations in accordance with EWC 180312 waste ink containing dangerous substances						
	Recomme	packaging Recommendation Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.						
SEC	TION 14: T	ransport inforn	nation					
	No danger	ous good in sen	se of this transport regulation.					
14.1.	UN numbe	r						
14.2.	UN proper	shipping name	not applicable					
		, .						
14.3.	Transport	hazard class(es)	not applicable					
14.4.	Packing gi	oup	not applicable					
14.5.	Environme	ental hazards						
	Land transp	port (ADR/RID)	not applicable					
	Marine poll	utant	not applicable					
14.6.	Special pro	ecautions for use	er					
	case of an	lways in closed, ι accident or leakaς safe handling: se	je.	nat persons transporting the product know what to do in				
	Further inf	ormation						
	Land trans	port (ADR/RID)						
	tunnel restr		-					
	Sea transp	ort (IMDG)						
	EmS-No.		not applicable					
	Air transpo	ort (ICAO-TI / IAT	A-DGR)					
14.7.	Transport	in bulk according	g to Annex II of Marpol and the IBC Co	ode				
	not applicable							
SEC	TION 15: R	egulatory infor	mation					
			nental regulations/legislation specific	for the substance or mixture *				
EU legislation								
		010/75/EU on ind (in g/L): 1,404	lustrial emissions					
	National re	-						
	Restriction	ns of occupation	is no under the Motorsity Drotestics Dire					

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

RUCO

Article No.:	920UV	SERIE/SERIES	
Print date	13.11.2017		EN
Version	7.0	Revision date 29.10.2017	Page 8 / 8

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). **Other regulations, restrictions and prohibition regulations**

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

Full text of classification in Acute Tox. 4 / H302 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT RE 2 / H373	Acute toxicity (oral) Serious eye damage/eye irritation Respiratory or skin sensitisation Specific target organ toxicity (repeated exposure)	Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
STOT SE 3 / H335	Specific target organ toxicity (single exposure)	May cause respiratory irritation.
Skin Irrit. 2 / H315	skin corrosion/irritation	Causes skin irritation.
Aquatic Chronic 2 / H411	Hazardous to the aquatic environment	Toxic to aquatic life with long lasting effects.
Repr. 2 / H361	Reproductive toxicity	Suspected of damaging fertility.
Aquatic Chronic 3 / H412	Hazardous to the aquatic environment	Harmful to aquatic life with long lasting effects.
Aquatic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic organisms.
Aquatic Chronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.

Remark

n.a. = not applicable

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version